

Amendments to the claims (this listing replaces all prior versions):

1. (currently amended) A method comprising:  
detecting possible security problems at client locations;  
transmitting notice of the possible security problems across a network in real time to a home location remotely located from the client locations;  
determining, at the home location, an anomaly at one or more of the client locations based on an analysis of at least the possible security problems at two or more of the client locations, in which the anomaly is not apparent from analyzing the possible security problem or problems at only one of the client locations; and  
transmitting notice of the anomaly in real time to the client locations at which the possible security problems are detected; ~~and~~  
~~updating, in real time, firewalls protecting the client locations to account for the anomaly.~~
2. (original) The method of claim 1 further comprising transmitting notice of the anomaly in real time to other client locations that may communicate with the home location over the network.
3. (cancelled)
4. (original) The method of claim 1 further comprising inspecting a packet that arrives at the client location to detect the possible security problem.
5. (currently amended) The method of claim 1 in which the ~~updating the firewalls comprises sending update information to the firewalls through~~ network comprises a virtual private networks.
6. (original) The method of claim 1 in which the anomaly includes unauthorized access to the network.
7. (original) The method of claim 1 in which the anomaly includes unauthorized access of a resource accessible through the network.

8. (original) The method of claim 1 in which the anomaly includes unauthorized use of resources available through the network.

9. (currently amended) An article comprising:  
a machine-readable medium which contains machine-executable instructions, the instructions causing a machine to:  
detect possible security problems at client locations;  
transmit notice of the possible security problems across a network in real time to a home location remotely located from the client locations;  
determine, at the home location, an anomaly at one or more of the client locations based on an analysis of at least the possible security problems at two or more of the client locations, in which the anomaly is not apparent from analyzing the possible security problem or problems at only one of the client locations; and  
transmit notice of the anomaly in real time to the client locations at which the possible security problems are detected; and  
~~updating, in real time, firewalls protecting the client locations to account for the anomaly.~~

10. (original) The article of claim 9 further causing a machine to transmit notice of the anomaly in real time to other client locations that may communicate with the home location over the network

11. (cancelled)

12. (previously presented) The article of claim 9 further causing the machine to inspect a packet that arrives at the client location to detect the possible security problem.

13. (currently amended) The article of claim 9 in which ~~updating the firewalls comprises sending update information to the firewalls through~~ the network comprises virtual private networks.

14. (original) The article of claim 9 in which the anomaly includes unauthorized access to the network.

15. (original) The article of claim 9 in which the anomaly includes unauthorized access of a resource accessible through the network.

16. (original) The article of claim 9 in which the anomaly includes unauthorized use of resources available through the network.

17. (currently amended) A method comprising:  
at a home location in a network, receiving from at least two remote clients indications of possible security problems at the clients; and  
determining in real time, at the home location, an existence of an anomaly at ~~the at least two~~ one or more of the remote clients based on an analysis of at least the indications of the possible security problems at two or more of the remote clients, in which the anomaly is not apparent from analyzing the indication or indications of possible security problem or problems at only one of the remote clients; and  
~~sending in real time, from the home location to the remote clients, information for updating firewalls protecting the remote clients to account for the anomaly.~~

18. (currently amended) The method of claim 17 further comprising transmitting notice of the existence of the anomaly in real time from the home location to the remote clients ~~client locations~~.

19. (currently amended) The method of claim 17 further comprising transmitting notice of the existence of ~~transmitting~~ the anomaly in real time from the home location to other remote clients ~~client locations~~ that may communicate with the home location over the network.

20. (cancelled)

21. (currently amended) The method of claim 17 further comprising transmitting information from the home location to the remote ~~clients~~ client locations to help the remote ~~clients~~ client location identify possible security problems.

22. (original) The method of claim 17 further comprising determining the existence of the anomaly based on at least information regarding previous anomalies.

23-27. (cancelled)

28. (currently amended) An apparatus comprising:  
a server;

a first mechanism accessible by the server to determine an anomaly at ~~[[two]]~~ one or more clients based on at least information from ~~[[the]]~~ two or more of the clients regarding possible security problems, in which the anomaly is not apparent from analyzing the possible security problem or problems at only one of the clients; and

a second mechanism accessible by the server to transmit notice of the anomaly in real time over a network to the clients; ~~and~~

~~a third mechanism accessible by the server to update, in real time, firewalls protecting the clients to account for the anomaly.~~

29. (previously presented) The apparatus of claim 28 in which the first mechanism determines the anomaly based on at least information regarding previously determined anomalies.

30. (currently amended) A system comprising:

two or more client terminals;

a server;

for each of the client terminals,

a first client mechanism accessible by the client terminal to detect a possible security problem at the client terminal,

a second client mechanism accessible by the client terminal to transmit notice of the possible security problem across a network in real time to a server remotely located from the

client terminal, and

a third client mechanism accessible by the client terminal to receive updates from the server in real time regarding security problems that the first client mechanism may use in detecting possible security problems;

a first server mechanism accessible by the server to determine an anomaly at ~~[[two]] one~~ or more clients client terminals based on at least information from the two or more clients client terminals regarding possible security problems, in which the anomaly is not apparent from analyzing the information regarding possible security problem or problems at only one of the remote client terminals; and

a second server mechanism accessible by the server to transmit notice of the anomaly in real time over the network to the client terminals at which the possible security problems are detected; ~~and~~

~~a third server mechanism accessible by the server to update, in real time, firewalls protecting the clients to account for the anomaly.~~

31. (original) The system of claim 30 in which the first client mechanism is also configured to monitor packets that arrive at the client terminal for the possible security problem.

32. (original) The system of claim 30 in which the first server mechanism is also configured to determine the anomaly based on at least information regarding previously determined anomalies.

33. (original) The system of claim 30 in which the second server mechanism is also configured to transmit notice of the anomaly in real time to other client locations that may communicate with the server over the network.

34. (previously presented) The system of claim 30 further comprising firewalls located between the client terminals and the server and configured to act as an intermediary for information flowing between the client terminals and the server.

35. (previously presented) The system of claim 34 in which at least one of the firewalls includes a corporate server.

36-39 (cancelled)

40. (currently amended) A method comprising:

at a server, receiving from at least two remote clients indications of possible security problems at the clients;

determining in real time, at the server, an existence of an anomaly based on the indications of the possible security problems from the at least two remote clients, in which the anomaly is not apparent from analyzing the possible security problem or problems at only one of the remote clients; and

sending in real time, from the server to the remote clients, information for updating firewalls protecting the remote clients to account for the anomaly.

41. (currently amended) A method comprising:

detecting [[a]] possible security ~~problems~~ ~~problem~~ at [[a]] two or more client ~~locations~~ location;

transmitting notice of the possible security ~~problems~~ ~~problem~~ across a network in real time to a home location remotely located from the client ~~locations~~ location;

determining, at the home location, an anomaly at one or more of the client ~~locations~~ location based on the possible security ~~problems~~ ~~problem~~ by searching for particular information in the anomaly, the particular information including at least one of a network address previously noted as a security problem and a particular query or command associated with a known intrusion pattern or technique, in which the anomaly is not apparent from analyzing the possible security problem or problems at only one of the client locations; and

transmitting notice of the anomaly in real time to the client ~~locations~~ location.

42. (previously presented) A method comprising:

detecting a possible security problem at a client location;

transmitting notice of the possible security problem across a network in real time to a home location remotely located from the client location;

determining at the home location an anomaly by at least comparing the possible security

problem with information previously logged at the home location, including searching for a successful but unexpected login; and

transmitting notice of the anomaly in real time to the client location.

43. (cancelled)

44. (cancelled)

45. (currently amended) The apparatus of claim 28, further comprising at least one of a human immune mechanism to collect information on users, ~~a complexity theory mechanism to store and perform complex analysis of anomaly trends~~, and a fingerprinting mechanism to check and store names and addresses associated with security problems.

46. (previously presented) The apparatus of claim 28, further comprising a wide view mechanism to collect and maintain information regarding anomalies reported to the server by the clients.

47. (previously presented) The apparatus of claim 28, further comprising a statistics mechanism to compute and store records of anomalies.

48. (previously presented) The method of claim 40, further comprising at least one of collecting information on users by using a human immune mechanism, ~~storing and performing complex analysis of anomaly trends by using a complexity theory mechanism~~, and checking and storing names and addresses associated with security problems by using a fingerprinting mechanism.

49. (previously presented) The method of claim 40, further comprising computing and storing records of anomalies by using a statistics mechanism.

50. (previously presented) The method of claim 41, further comprising updating, in real time, a firewall protecting the client location to account for the anomaly.

51. (previously presented) The method of claim 42, further comprising updating, in real time, a firewall protecting the client location to account for the anomaly.

52. (currently amended) The method of claim 42, in which searching for an successful but unexpected login comprises searching for at least one of a login at an unexpected hour, a login from an unexpected location, and a login from an unexpected user.

53. (new) The apparatus of claim 28, further comprising a complexity theory mechanism to store and perform complex analysis of anomaly trends.